

RNS Institute of Technology

(AICTE Approved, VTU Affiliated and NAAC 'A' Accredited)

(UG programs – CSE, ECE, ISE, EIE and EEE have been Accredited by NBA up to 30/6/25)

Channasandra, Dr. Vishnuvardhan Road, Bengaluru – 560 098

6.2.2 Implementation of e-governance in areas of operation

- 1. Administration**
- 2. Finance and Accounts**
- 3. Student Admission and Support**
- 4. Examination**

Clarification: 4. Please provide Annual e-governance report approved by Governing Council.

Answer: The scanned Documents are attached herewith.

The governing council has not specifically mentioned the type of e-governance required in its report. For every meeting, the audited statements and the Budget are placed before the GC for approval and information.

As per VTU requirements in many cases, on a case by case basis, the requirements are collected and approved by the Chairman / Director on the documents put up. A sample copy of the approvals for high speed printers, CCTVs, etc. for examination and other purposes where the requisition put up is justified with VTU and e-governance requirements, followed by approval in the form of 'Please go ahead' , 'May be procured', etc. with the respective signatures are scanned and attached herewith for fulfilling this particular clarification.



ESTD : 2001

An Institute with a Difference

RNS Institute of Technology

(VTU Affiliated, AICTE Approved, NAAC 'A' Grade Accredited)
DR. VISHNUVARDHAN ROAD, CHANNASANDRA, RR NAGAR POST, BENGALURU - 560098

Department of Computer Science and Engineering

(NBA Accredited for the Academic Years 2018-19, 2019-20, 2020-21)

Submitted:

Date: 19-11-2019

As per suggestion by VTU Inspection Team which visited college for inspecting QPDS facility, we need to install an IP Camera for covering the Main Computer, alternative Computer, Printers and the person involved in work related to QPDS. This is in addition to the existing IP camera which is able to cover the Person and Printers involved in QPDS work.

In this connection, M/s. Nutech Telecom have sent quote for HIKVISION IP Camera and Cat6 cabling necessary to connect to NVR present in QPDS Room. The total cost works out to ₹ 6,550/- (plus GST @ 18%).

I request you to permit procurement of the above mentioned equipment so that VTU requirement can be fulfilled.

R. Sundara Prish

System Analyst
Dept. of CSE

Encl.: 1. Estimate for HIKVISION IP camera and Cat6 cabling from M/s. Nutech Telecom.

N K Cheluvakrishna

19.11.19

[Signature]
19/11/19

'A' may be permitted at the rate negotiated

[Signature]
20/11/19





RNS Institute of Technology

(VTU Affiliated, AICTE Approved, NAAC 'A' Grade Accredited)
 DR. VISHNUVARDHAN ROAD, CHANNASANDRA, RR NAGAR POST, BENGALURU - 560098

Department of Computer Science and Engineering

(NBA Accredited for the Academic Years 2018-19, 2019-20, 2020-21)

Submitted:

Date: 29-08-2020

As per discussions held with the Principal, CCTV cameras are proposed for installation at Board Room for examination purposed to monitor counting of booklets and stitching of examination bags.

In this regard, M/s. Nutech Telecom have conducted survey and suggested installation of IP cameras 2 Nos. at appropriate locations to cover the above-mentioned activities. They have sent quotation. Details are as follows:

Product	Qty	Rate	Amount
HIK-VISION 2 MP IP CAMERA 4 mm Lens	2Nos	₹ 3,500	₹ 7,000.00
4 Port PoE Switch	1Nos	₹ 3,500	₹ 3,500.00
D-LINK CAT-6 Cabling With PVC Pipe Approximate 100meters	100 mtrs	₹ 50	₹ 5,000.00
Installation Charges	1Nos	₹ 1,500	₹ 1,500.00
Total amount (excluding tax)			₹17,000.00
GST @ 18%			₹ 3,060.00
Total amount (including tax)			₹20,060.00

I request you to permit procurement of the above mentioned equipment to enable smooth conduction of VTU examinations.

In view of A, if the situation warrants order may be placed yes.

MK Chakraborty

P. Sundale Kish
 System Analyst
 Dept. of CSE

Encl.: 1. Estimate from M/s. Nutech Telecom.

*02/09/2020
 S.P.M*

*MK Chakraborty
 2/9*

As the exams are on, we may consider the proposal prior to next semester Exam.

As per observation by the principal MBA regular exam - All other the exam are on till 30th Sept 2020. Hence the above mentioned camera

02/09/2020

R N S INSTITUTE OF TECHNOLOGY
CCTV PROCUREMENT FOR CLASS ROOMS AND LABS AND INSTALLATION COST
SUMMARY SHEET

Date: 22-12-2018

Product	Unit	QTY	UNIT RATE	AMOUNT	GST @ 18%	GRAND TOTAL (INC. TAX)
AC-II - COMPUTER SCIENCE BLOCK						
PANASONIC- Dome IR Day & Night Camera - 2 Megapixel	No.	38	₹ 1,650.00	₹ 62,700.00		
MODEL PANASONIC STAND ALONE DVR- 32 CHANNEL	No.	1	₹ 48,500.00	₹ 48,500.00		
MODEL PANASONIC STAND ALONE DVR- 16 CHANNEL	No.	1	₹ 12,500.00	₹ 12,500.00		
Seagate 8TB HDD	No.	7	₹ 20,500.00	₹ 1,43,500.00		
UPS	No.	2	₹ 2,800.00	₹ 5,600.00		
SMPS POWER SUPPLY - 16 Nos. Cameras	No.	2	₹ 1,500.00	₹ 3,000.00		
SPIKE	No.	1	₹ 450.00	₹ 450.00		
BNC CONNECTOR, DC CONNECTOR, RF CONNECTOR	No.	76	₹ 50.00	₹ 3,800.00		
Rack - 6U	No.	1	₹ 3,500.00	₹ 3,500.00		
Network Switch - 5 Port	No.	1	₹ 450.00	₹ 450.00		
RJ59 Co- AXIAL CCTV CABLE.& PVC PIPE/CASING & LAYING	Mtrs.	1680	₹ 40.00	₹ 67,200.00		
Total - AC-II CSE BLOCK				₹ 3,51,200.00	₹ 63,216.00	₹ 4,14,416.00
AC-III - MECHANICAL BLOCK						
PANASONIC- Dome IR Day & Night Camera - 2 Megapixel	No.	48	₹ 1,650.00	₹ 79,200.00		
MODEL PANASONIC STAND ALONE DVR- 32 CHANNEL	No.	1	₹ 48,500.00	₹ 48,500.00		
MODEL PANASONIC STAND ALONE DVR- 16 CHANNEL	No.	1	₹ 12,500.00	₹ 12,500.00		
Seagate 8TB HDD	No.	7	₹ 20,500.00	₹ 1,43,500.00		
UPS	No.	2	₹ 2,800.00	₹ 5,600.00		
SMPS POWER SUPPLY - 16 Nos. Cameras	No.	3	₹ 1,500.00	₹ 4,500.00		
SPIKE	No.	1	₹ 450.00	₹ 450.00		
BNC CONNECTOR, DC CONNECTOR, RF CONNECTOR	No.	96	₹ 50.00	₹ 4,800.00		
Rack - 6U	No.	1	₹ 3,500.00	₹ 3,500.00		
Network Switch - 8 Port	No.	1	₹ 750.00	₹ 750.00		
RJ59 Co- AXIAL CCTV CABLE.& PVC PIPE/CASING & LAYING	Mtrs.	2500	₹ 40.00	₹ 1,00,000.00		
CAT 6 Cable	Mtrs.	60	₹ 50.00	₹ 3,000.00		
Total - AC-III MECH. BLOCK				₹ 4,06,300.00	₹ 73,134.00	₹ 4,79,434.00
MBA BLOCK						
PANASONIC- Dome IR Day & Night Camera - 2 Megapixel	No.	12	₹ 1,650.00	₹ 19,800.00		

No. on 13-01-2011

MODEL PANASONIC STAND ALONE DVR- 16 CHANNEL	No.	1	₹ 12,500.00	₹ 12,500.00		
Seagate 8TB HDD	No.	2	₹ 20,500.00	₹ 41,000.00		
UPS	No.	1	₹ 2,800.00	₹ 2,800.00		
SMPS POWER SUPPLY - 16 Nos.	No.	1	₹ 1,500.00	₹ 1,500.00		
Cameras	No.	1	₹ 450.00	₹ 450.00		
SPIKE	No.	1	₹ 450.00	₹ 450.00		
BNC CONNECTOR, DC CONNECTOR, RF CONNECTOR	No.	24	₹ 50.00	₹ 1,200.00		
Rack - 6U	No.	1	₹ 3,500.00	₹ 3,500.00		
Network Switch - 8 Port	No.	1	₹ 750.00	₹ 750.00		
RJ59 Co- AXIAL CCTV CABLE.& PVC PIPE/CASING & LAYING	Mtrs.	870	₹ 40.00	₹ 34,800.00		
Total - MBA BLOCK				₹ 1,18,300.00	₹ 21,294.00	₹ 1,39,594.00
ADMINISTRATIVE BLOCK						
PANASONIC- Dome IR Day & Night Camera - 2 Megapixel	No.	12	₹ 1,650.00	₹ 19,800.00		
MODEL PANASONIC STAND ALONE DVR- 16 CHANNEL	No.	1	₹ 12,500.00	₹ 12,500.00		
Seagate 8TB HDD	No.	2	₹ 20,500.00	₹ 41,000.00		
UPS	No.	1	₹ 2,800.00	₹ 2,800.00		
SMPS POWER SUPPLY - 16 Nos.	No.	1	₹ 1,500.00	₹ 1,500.00		
Cameras	No.	1	₹ 450.00	₹ 450.00		
SPIKE	No.	1	₹ 450.00	₹ 450.00		
BNC CONNECTOR, DC CONNECTOR, RF CONNECTOR	No.	24	₹ 50.00	₹ 1,200.00		
Rack - 6U	No.	1	₹ 3,500.00	₹ 3,500.00		
Network Switch - 8 Port	No.	1	₹ 750.00	₹ 750.00		
RJ59 Co- AXIAL CCTV CABLE.& PVC PIPE/CASING & LAYING	Mtrs.	760	₹ 40.00	₹ 30,400.00		
Total - ADMIN BLOCK				₹ 1,13,900.00	₹ 20,502.00	₹ 1,34,402.00
Installation charges		4	₹ 2,500.00	₹ 10,000.00	₹ 1,800.00	₹ 11,800.00
Grand Total				₹ 9,99,700.00	₹ 1,79,946.00	₹ 11,79,646.00
EGD & MODELLING & ANALYSIS LAB - MECHANICAL DEPT. & BUSINESS LAB - MBA DEPT.						
HICKVISION- Dome IR Cameras	No.	8	₹ 1,900.00	₹ 15,200.00		
BNC CONNECTOR, DC CONNECTOR, RF CONNECTOR	No.	16	₹ 50.00	₹ 800.00		
RJ59 Co- AXIAL CCTV CABLE.& PVC PIPE/CASING & LAYING	Mtrs.	320	₹ 40.00	₹ 12,800.00		
Total - EGD & MODELLING & ANALYSIS LAB - MECHANICAL DEPT. & BUSINESS LAB - MBA DEPT.				₹ 28,800.00	₹ 5,184.00	₹ 33,984.00
Installation charges		2	₹ 750.00	₹ 1,500.00	₹ 270.00	₹ 1,770.00
Grand Total				₹ 10,30,000.00	₹ 1,85,400.00	₹ 12,15,400.00



Estd : 2001

R N SHETTY TRUST RNS INSTITUTE OF TECHNOLOGY

(AICTE Approved and VTU Affiliated)

Channasandra, Uttarahalli-Kengeri Main Road, Rajarajeshwari Nagar Post, Bengaluru - 560 098.
Ph : +91 80 28611880 / 1, Fax : +91 80 28611882, Email : principal@rnsit.ac.in www.rnsit.ac.in

Ref.No. : RNSIT / 20.20... - 2021... / 1412

Date : 21-1-21

M/s. Cielo Technology,
#2507, 14th Main, Kumaraswamy Layout,
Bangalore - 560 078.

Sir,

Sub.: Work Order for the supply of **Printer Cartridge - 52D3XOE, Maintenance Kit & 52DOZ00 Imaging Unit for Lexmark MS811 Printer** - regarding.

With reference to the above subject we are pleased to place the Work Order for the supply and installation of **Lexmark Cartridge 52D3XOE for Lexmark MS811 Printer**. The details are as per table below:

Sl. No.	Description	Qty	Unit Price	Total Amount
1.	Lexmark MS811 - 52D3XOE - Extra High Yield Printer Cartridge	1	₹35,000	₹ 35,000.00
2.	Lexmark MS811 - 52DOZ00 Imaging Unit	1	₹ 4,250	₹ 4,250.00
3.	Lexmark MS811 Printer Maintenance Kit	1	₹33,600	₹ 33,600.00
Total Amount (excluding tax)				₹ 72,850.00
GST @ 18%				₹ 13,113.00
Net Amount including Tax				₹ 85,963.00

(Rupees eighty five thousand and nine hundred and sixty three only.)


Terms & Conditions:

1. Payment: 100% against delivery.
2. Delivery: Items 1 & 2 will be delivered 1 week after order confirmation. Item 3 will be delivered 4 to 6 weeks from order confirmation.
3. Warranty: 1 year on all items.

Thanking you,

Yours faithfully


Accountant


Registrar
21/01/2021


PRINCIPAL
R N S Institute of Technology
Channasandra, Bengaluru-560 098



RNS Institute of Technology

(VTU Affiliated, AICTE Approved, NAAC 'A' Grade Accredited)

DR. VISHNUVARDHAN ROAD, CHANNASANDRA, RR NAGAR POST, BENGALURU - 560098

ESTD : 2001

Facilities and Equipment

Department of Computer Science and Engineering

(NBA Accredited for the Academic Years 2018-19, 2019-20, 2020-21)

Submitted:

Date: 19/01/2021

52D3X0E – Extra High Yield Cartridge used with MS811 Lexmark Printer used for University examination purpose, is almost exhausted (20% remaining). Also, Maintenance & Imaging Unit levels are low (indicated in the printer). Hence, 1 No. 52D3X0E – Extra High Yield Cartridge, 1 No. Imaging Unit and 1 No. Maintenance Unit are required as replacement for smooth conduct of the ensuing University Exams. Quotations have been received from M/s. Forevision Technologies Pvt. Ltd, M/s. Clivesysnet INC & M/s. Cielo Technology for the above-mentioned items. Comparative Statement has been made based on the received quotations. Comparative Statement & quotations have been enclosed along with this letter.

Procurement of 1 No. each of the above-mentioned items is recommended for smooth conduction of the ensuing University Examinations.

P. Sundale Kish
System Analyst
Dept. of CSE

- Encl.: 1. Quotations from M/s. Forevision Technologies Pvt. Ltd., M/s. Clivesysnet INC & M/s. Cielo Technology.
2. Comparative Statement of the above-mentioned items.

76 Collected
19.1.21
As the amount involved is Rs 85963/-
necessary consurances may be obtained
from Trustee
21/01/2021

Reg/Act





RNS Institute of Technology

(VTU Affiliated, AICTE Approved, NAAC 'A' Grade Accredited)
DR. VISHNUVARDHAN ROAD, CHANNASANDRA, RR NAGAR POST, BENGALURU - 560099

Department of Computer Science and Engineering

(NBA Accredited for the Academic Years 2018-19, 2019-20, 2020-21)

Submitted:

Date:

For QPDS printing at present we have 2 Nos. of Lexmark MS811dn printers available. (These Printers were procured in November 2016). But, despite these facilities, University Examinations could not be conducted on time on the dates mentioned in the sheets enclosed.

The reason for this is the printers were not able to cope up with the print load at those times. Details are as follows:

- The scheduled time of Examination in the morning session was 9:30 AM, whereas the Examinations on these dates were started varying from 9:31 AM to 9:36 AM a delay of between 1 to 5 minutes.
- The scheduled time of Examination in the afternoon session was 2:00 PM, whereas the Examinations on these dates were started varying from 2:02 PM to 3:00 PM a delay of between 2 minutes to one hour.

Also, in case of breakdown of any one of the printers during examinations we would be left with only one printer using which it would not be possible to meet the examination printing needs.

Hence, procurement of 1 No. of HP LaserJet Enterprise 600 M610 Printer (Lexmark printer not in stock) is requested for smooth conduction of University Examinations.

System Analyst
Dept. of CSE

- Encl:
1. Sheets indicating Date & Time of conduction of examinations.
 2. Quotations from vendors.

R N S INSTITUTE OF TECHNOLOGY
ICTV PROCUREMENT & INSTALLATION COST FOR LABORATORIES SUMMARY SHEET -
INVOICE CHECK LIST

Date: 27/05/2019

Product	Unit	QTY	UNIT RATE	AMOUNT	GST @ 18%	GRAND TOTAL (INC. TAX)
AC-II - COMPUTER SCIENCE BLOCK						
Total - AC-II - CSE BLOCK				₹ 172,750.00	₹ 31,095.00	₹ 203,845.00
AC-I - ECE BLOCK						
Total - AC-I - ECE BLOCK				₹ 152,200.00	₹ 27,396.00	₹ 179,596.00
AC-III - MECHANICAL BLOCK						
Total - AC-III - MECH. BLOCK				₹ 285,300.00	₹ 51,354.00	₹ 336,654.00
ADMINISTRATIVE BLOCK						
Total - ADMIN BLOCK				₹ 66,350.00	₹ 11,943.00	₹ 78,293.00
CIVIL BLOCK						
Total - CIVIL BLOCK				₹ 139,600.00	₹ 25,128.00	₹ 164,728.00
Total - AC-II, AC-I, AC-III, ADMIN & CIVIL BLOCKS				₹ 816,200.00	₹ 146,916.00	₹ 963,116.00
Installation charges		5	₹ 2,500.00	₹ 12,500.00	₹ 2,250.00	₹ 14,750.00
Grand Total				₹ 828,700.00	₹ 149,166.00	₹ 977,866.00

Advance Rs 300000/- was received on 19-02-19

We may release Payment

Recd
27/05/2019

MIC Consultant
27/5/19

Security - 5% of ₹ 8,28,700/-
= ₹ 41,435/-

Net = ₹ 7,87,265/-

2% TDS on ₹ 7,87,265/- = ₹ 15,745/-

R N S INSTITUTE OF TECHNOLOGY
CCTV PROCUREMENT AND INSTALLATION COST FOR LABORATORIES - SUMMARY SHEET

Date: 10-01-2019

Product	Location	Unit	QTY	UNIT RATE	AMOUNT	GST @ 18%	GRAND TOTAL (INC. TAX)
ANASONIC- Dome IR Day & Night Camera - 2 megapixel	ACA-II-CSE, ACA-I-ECE, ACA-III - MECH., ADMIN & CIVIL BLOCKS	No.	110	₹ 1,650.00	₹ 1,81,500.00		
ODELPANASONIC HAND ALONE DVR- 32 CHANNEL	ACA-II-CSE, ACA-I-ECE, ACA-III - MECH. & CIVIL BLOCKS	No.	4	₹ 48,500.00	₹ 1,94,000.00		
ODELPANASONIC HAND ALONE DVR- 16 CHANNEL	ACA-III - MECH. BLOCK	No.	1	₹ 12,500.00	₹ 12,500.00		
ODELPANASONIC HAND ALONE DVR- 8 CHANNEL	ADMIN BLOCK	No.	1	₹ 7,500.00	₹ 7,500.00		
Aggregate 4TB HDD	ACA-II-CSE, ACA-I-ECE, ACA-III - MECH., ADMIN & CIVIL BLOCKS	No.	10	₹ 10,500.00	₹ 1,05,000.00		
Installation			5	₹ 2,500.00	₹ 12,500.00		
UPS	ACA-II-CSE, ACA-I-ECE, ACA-III - MECH., & ADMIN BLOCKS	No.	5	₹ 2,800.00	₹ 14,000.00		
UPS POWER SUPPLY - 8 Nos. Cameras	ACA-II-CSE, ACA-I-ECE, ACA-III - MECH., & CIVIL BLOCKS	No.	9	₹ 1,500.00	₹ 13,500.00		
UPS POWER SUPPLY - 8 Nos. Cameras	ADMIN BLOCK	No.	1	₹ 950.00	₹ 950.00		
PIKE		No.	6	₹ 450.00	₹ 2,700.00		
LAN CONNECTOR, DC CONNECTOR, RF CONNECTOR	ACA-II-CSE, ACA-I-ECE, ACA-III - MECH., ADMIN & CIVIL BLOCKS	No.	220	₹ 50.00	₹ 11,000.00		
rack - 6U		No.	3	₹ 3,500.00	₹ 10,500.00		
rack - 12U		No.	1	₹ 9,500.00	₹ 9,500.00		
Network Switch - 8 Port	ACA-II-CSE, ACA-I-ECE, ACA-III - MECH., ADMIN & CIVIL BLOCKS	No.	5	₹ 750.00	₹ 3,750.00		
Total					₹ 5,78,900.00	₹ 1,04,202.00	₹ 6,83,102.00
159 Co- AXIAL CCTV CABLE & PVC PIPE/CASING & LAYING	ACA-II-CSE, ACA-I-ECE, ACA-III - MECH., ADMIN & CIVIL BLOCKS	Mtrs.	6000	₹ 40.00	₹ 2,40,000.00		
Total (including approximate cabling cost)					₹ 8,18,900.00	₹ 1,47,402.00	₹ 9,66,302.00

We may seek approval from Chairman before placing order as the amount involved is substantial

To
 10/01/2019 - MK Chaturvedi
 10.1.19



RNS Institute of Technology

(VTU Affiliated, AICTE Approved, NAAC 'A' Grade Accredited)
DR. VISHNUVARDHAN ROAD, CHANNASANDRA, RR NAGAR POST, BENGALURU - 560098

Department of Computer Science and Engineering

(NBA Accredited for the Academic Years 2018-19, 2019-20, 2020-21)

D: 2001
Cost & Difference

Submitted:

Date: 19/01/2021

52D3X0E - Extra High Yield Cartridge used with MS811 Lexmark Printer used for University examination purpose, is almost exhausted (20% remaining). Also, Maintenance & Imaging Unit levels are low (indicated in the printer). Hence, 1 No. 52D3X0E - Extra High Yield Cartridge, 1 No. Imaging Unit and 1 No. Maintenance Unit are required as replacement for smooth conduct of the ensuing University Exams. Quotations have been received from M/s. Forevision Technologies Pvt. Ltd, M/s. Clivesysnet INC & M/s. Cielo Technology for the above-mentioned items. Comparative Statement has been made based on the received quotations. Comparative Statement & quotations have been enclosed along with this letter.

Procurement of 1 No. each of the above-mentioned items is recommended for smooth conduction of the ensuing University Examinations.

P. Sundala Bish
System Analyst
Dept. of CSE

- Encl.: 1. Quotations from M/s. Forevision Technologies Pvt. Ltd., M/s. Clivesysnet INC & M/s. Cielo Technology.
2. Comparative Statement of the above-mentioned items.

*76 Collected
19.1.21*

Res/Act

*As the amount involved is Rs 85963/-
necessary for purchase may be obtained
from Trustee
21/01/2021*

Visvesvaraya Technological University

"Jnana Sangama", Belagavi - 590 018, Karnataka State, INDIA

V. Jagannatha Reddy, B.E., M.E., Ph.D.

Phone : (0831) 2405468

Fax : (0831) 2405467

Registrar

No.: VTU/PS/2016-17/890

Date: 21 OCT 2016

CIRCULAR

Sub: Requirements of Online QPDS at Colleges - reg.

Visvesvaraya Technological University is implementing ICT initiatives introduced by Department of Higher Education, Government of Karnataka. The ICT Initiatives includes pre-examination, examination and post examination activities. With the introduction of the above, **examination related activities which were outsourced till date will be managed by the University with the cooperation and active participation of its constituent and affiliated colleges.**

In order to implement the above, the principals of affiliated Engineering Colleges are requested to ensure that the following infrastructure is ready at their respective colleges on or before 10th November 2016 for the smooth functioning of online Question Paper Delivery System in respect of forthcoming examinations of Dec. 2016 / Jan 2017 and onwards:

1. Desktop Computer - 2.
2. Lexmark Printer - 2 to 3 with at least two additional cartridges for each printer. ✓✓
3. UPS - 3/5 KVA (as per the detailed specification).
4. Network Switch. ✓✓
5. Network Video Recorder. ✓✓
6. 4 Mbps 1:1 internet leased line. ✓✓
7. Alternative Internet facility with the help of Dongle with minimum of 512 Kbps speed and 1 GB download capacity. ✓✓
8. Required number of white A4 size Papers with 75 GSM thickness for Question Paper Printing. ✓✓

Detailed Specifications of the above Infrastructure is enclosed for your ready reference. Kindly share the Public IP address, Processor and MAC ids of computers with office of the Registrar (Evaluation).

Further, the Principals of affiliated colleges shall identify a Professor to undertake the responsibility with respect to the management of QPDS activity with the help of a System Administrator and share the Mobile and landline numbers, alternative contact numbers, email Ids and Photo ids of both Professor and System Administrator with the office of the Registrar (Evaluation) immediately.

Kindly submit the report of readiness in respect of infrastructure and human resources as stated above on or before 10th November 2016, along with relevant documents to the office of the undersigned for the purpose of inspection.

Sd/-

REGISTRAR

The Principals of affiliated Engineering colleges

FWC's to:

Hon'ble Vice-Chancellor through the Sec. To VC, VTU Belgaum, for information.

The Registrar (Evaluation), VTU Belgaum, for information and needful.

The Special Officers of VTU Regional Offices, for information & needful.

REGISTRAR

mm
22/10

Reg

18

Jagannatha Reddy
20/10/16

R N S INSTITUTE OF TECHNOLOGY

Date: 01/12/2017

Submitted:

52D3X0E – Extra High Yield Cartridge used with MS811 Lexmark Printer used from university examination purpose, is almost exhausted (around 5% remaining). Hence, 1 No. of 52D3X0E – Extra High Yield Cartridge is required as replacement for smooth conduct of University exams. 1 No. of 52D3X0E – Extra High Yield Cartridge with capacity of 45,000/- pages per cartridge had been procured at ₹ 30,500/- (plus taxes), from M/s. Forevision Technologies Pvt. Ltd., as per Invoice No. 219, dated: 21-06-2017.

Quotation has been received from M/s. Forevision Technologies Pvt. Ltd. in this regard for the above mentioned Extra High Yield Cartridge. The quoted price is ₹ 33,500/- (plus taxes).

Procurement of the above mentioned cartridge is recommended for smooth conduction of University Examinations.

P. Sundara Prithvi
System Analyst
Dept. of CSE

- Encl: 1. Quotation from M/s. Forevision Technologies Pvt. Ltd.
2. Previous Invoice from M/s. Forevision Technologies Pvt. Ltd.

FK Chaitanya
1/12/17

We may permit for procurement as it is necessary for the exams which is, first
FK Chaitanya
1/12/17
1/12/17
1/12/17

R N S INSTITUTE OF TECHNOLOGY

Date: 21/05/2018

Submitted:

52D3X0E – Extra High Yield Cartridge used with MS811 Lexmark Printer used from university examination purpose, is almost exhausted. Hence, 1 No. of 52D3X0E – Extra High Yield Cartridge is required as replacement for smooth conduct of University Exams. 1 No. of 52D3X0E – Extra High Yield Cartridge with capacity of 45,000/- pages per cartridge had been procured at ₹ 33,500/- (plus taxes), from M/s. Forevision Technologies Pvt.Ltd., as per P.O, dated: 14-12-2017.

Quotation has been received from M/s. Forevision Technologies Pvt. Ltd. in this regard for the above mentioned-Extra High Yield Cartridge. The quoted price is ₹ 33,500/- (plus taxes).

Procurement of the above mentioned cartridge is recommended for smooth conduction of University Examinations.

P. Sundara Krishna
System Analyst
Dept. of CSE

- Incl: 1. Quotation from M/s. Forevision Technologies Pvt. Ltd.
2. Previous P.O. in favour of M/s. Forevision Technologies Pvt. Ltd.

It may permit for procurement of cartridge as proposed

*M/K Chelva Kumar
21/5/18*

[Signature]
21/5/18

[Signature]
21/5/18

VISVESVARAYA TECHNOLOGICAL UNIVERSITY

ವಿಶ್ವವಿದ್ಯಾಲಯ ತಾಂತ್ರಿಕ ವಿಶ್ವವಿದ್ಯಾಲಯ

"Jnana Sangama", Belagavi - 580 018, Karnataka State, INDIA

Phone : (0831) 2405468
Fax : (0831) 2405487
Email : registrar@vtu.ac.in
Website : www.vtu.ac.in

Dr. H. N. Jagannatha Roddy, B.E., M.E., Ph.D.
Registrar

Ref. No. VTU/Aca/SO/2018-19/ 8125

Date: - 8 DEC 2018

Revised Circular

Sub: Installation of CCTV cameras in the Examination Halls & Laboratories.
Ref: This office circular: VTU/Aca/SO/2018-19/7188, dated: 10-11-2018

By the directions of the Hon'ble Vice Chancellor, a circular was sent to all the Principals on 10-11-2018, regarding installation of CCTV cameras in the examination area. This initiation by the VTU was appreciated by all the stakeholders and positive feedback was received. It is also brought to the notice of undersigned, some of the colleges have not yet installed CCTV Cameras in the examination area. Hence all the Principals are requested to install the CCTV Cameras in all the examination halls/rooms & laboratories also, where the examinations are held, preferably with online viewing facility by the competent authorities to monitor the effective conduction of the VTU examinations.

The process of installation of CCTV Cameras shall be completed on or before 20th December 2018 and a report on the completion of installation shall be submitted to the Registrar on or before 25th December 2018. The recorded video footages shall be preserved for a minimum period of six months.

The Principal of the college / Institute shall be Chief Superintendent throughout the duration of VTU examinations. Under unavoidable circumstance no Principal shall designate their responsibility of Chief Superintendent to others without the permission of Registrar (Evaluation), VTU - Belagavi.

This circular is issued under strict compliance.

By order,
Sd/-
Registrar

To

1. The Principals of all the Affiliated/ Constituent/ Autonomous, Engineering Colleges of VTU.
2. The In-Charge Regional Director, VTU Regional Office, Bengaluru, Belagavi, Kalaburagi & Mysuru to send the circular to all concerned colleges.
3. The PG Coordinators of all PG Centers of VTU.

Copy to:

1. The Principal Secretary, Department of Higher Education, M. S. Building, 5th Floor, Dr. Ambedkar Veedhi, Bengaluru-01.
2. The Hon'ble Vice Chancellor, through Secretary to VC, VTU, Belagavi.
3. The Registrar (Evaluation), VTU, Belagavi.
4. The Special Officer, CNC, VTU, Belagavi, to update the information in the VTU website.

10/12/18
Registrar

Note: The CCTV cameras facility is going to be inspected during the LIC visit.

Req -> For Kind Needful

10/12/18

Continued.

Printers for Exams

SECRET 174

We have a couple of Printers in office, and there
no problem is spacing here during the period of exam
or printing Question Paper. But, since these Xerox
machines are kept in unprotected area, the fear
that we may not be fully complying with
security norms if used for the current location.
Hence no problem is spacing Xerox machine

03/03/2020

the



RNS Institute of Technology

(AICTE Approved, VTU Affiliated, and NAAC 'A' Accredited)
(UG Programs- CSP, ECE, ISE, EIE and EEE are Accredited by NBA up to 30.06.2025)
CHANNASANDRA, DR. VISHNUVARDHAN ROAD, BENGALURU - 560098

Department of Computer Science and Engineering

Vision: Preparing better Computer Professional for a Real World

mitted:

Date: 19-09-2022

QPODS Section has informed that W1470A – Standard Laser Cartridge used with M612DN Printer used for University Examination printing is almost exhausted (around 20% remaining). Existing Printer cartridge status has been enclosed.

In this regard, M/s. Fore Vision Technologies Pvt. Ltd. have sent quotation for the above-mentioned cartridge. The cost of W1470A – Standard Laser Cartridge is ₹ 14500 (plus taxes). Earlier the cartridge was procured from M/s. Fore Vision Technologies Pvt. Ltd on 27-05-2022 at the same price as mentioned above.

Procurement of the above-mentioned cartridge is recommended for smooth conduction of the ongoing University Examination.

R. Sundara Prish

System Analyst
Dept. of CSE

- cl.: 1. Quotation from M/s. Fore Vision Technologies Pvt. Ltd.
2. Previous Invoice from M/s. Fore Vision Technologies Pvt. Ltd.
3. Existing Printer cartridge status.

M. K. Chaitanya
19.9

R. G. Suresh

R. G. Suresh

Mean go ahead
[Signature]